



T631C1160

SUB STATION THERMOSTAT

Product Info

Literature

Overview

Provide line voltage control of heating, cooling and ventilating systems in farm buildings or storage areas.

Features

- Use in barns, poultry houses, hog barns, pump houses, milk houses and crop storage houses.
- Treated to resist corrosion.
- · Slots in front and bottom of case provide maximum air circulation over the coiled sensing element.
- SPDT snap switches permanently sealed against corrosion.
- · Easy mounting using screws through holes in back of case.

Product Specifications

Hazmat Information

UN 1294, TOLUENE, 3, II

Application

Provide line voltage control of heating, cooling and ventilating

Dimensions (in.)

systems in farm buildings or storage areas 4 5/16 in. high x 6 1/16 in. wide x 2 7/8 in. deep

Dimensions (mm)

110 mm high x 154 mm wide x 73 mm deep

Comments
Item Type

Product

Frequency

50 Hz; 60 Hz File No. E4436 Vol.1 Sec. UL Guide XAPX

Approvals, Underwriters Laboratories Inc.

Approvals, Canadian Standards Association

Certified: File No. LR1620, Guide No. 400-E-O

Contact Ratings

24 Vac-- 2.0A AFL; 120 Vac-- 7.4 AFL, 44.4 ALR; 240 Vac-- 3.7 AFL, 22.2 ALR

Voltag

24 Vac or 120/240 Vac

Setpoint Temperature Range (C)
Operating Temperature Range (F)

20 C to 60 C 150 F Maximum 66 C Maximum

Operating Temperature Range (C) Relay Outputs

1 SPDT

Sensor Elemen

Coiled Copper Tube

Differential Temperature (F)

2 F

HEVAC CONTROL AGENCIES www.hevac.com.au

Ordering Information: Part No. HWT631C1160

T: 1800 225 572 | F: 1800 289 723 | E: sales@systemcontrol.com.au | W: systemcontrol.com.au | T: 09 636 1401 | E: sales@systemcontrol.co.nz | W: systemcontrol.co.nz

In support of our policy of continuous product improvement we reserve the right to change materials and specifications without notice. Drawings, where used, are not to scale. All dimensions are in millimetres and sizes given are approximate. Where possible, technical MSDS data sheets are made available on the website. All products should be installed and used in accordance with manufacturer's instructions provided. Warning: products may be the subject of registered designs and patents. Refer to website for terms and conditions on warranty.

